

**E&H services Inc.**  
**Testing laboratory**  
**CAI Accredited Testing Laboratory No. 1665**  
**according to ČSN EN ISO/IEC 17025:2018**  
**building VÚHŽ, 739 51 Dobrá 240**



## TEST REPORT No. 1156/2023

**Customer :** House of Trichomes s.r.o.  
Plzenecká 222/22  
326 00 Plzeň

**Set No. :** 717/2023  
**Sample Received :** 23.10.2023 11:00  
**Sample Analyzed :** 23.10.2023 - 27.10.2023  
**Order No. :** Not mentioned

**ID :** 19324774

### Information about sample No.: 2851

**Sampling Date and Time :** Not mentioned  
**Sample name :** CHARLOTTE'S  
**Sample type :** Vegetable materials  
**Sampled by :** Customer  
**Sampling purpose :** On the customer request

### Results - chemical analysis

Parameter	Value	Unit	Kind	Method used	Uncertainty
Cannabidiol (CBD)	40	mg/g	A	SOP 16.02	± 30%
Cannabidiol Acid	83	mg/g	A	SOP 16.02	± 30%
Cannabigerol	1,7	mg/g	A	SOP 16.02	± 30%
Cannabigerolic Acid	3,1	mg/g	A	SOP 16.02	± 30%
Delta-9-tetrahydrocannabinol (THC)	2,9	mg/g	A	SOP 16.02	± 30%
Tetrahydrocannabinolic acid	2,3	mg/g	A	SOP 16.02	± 30%
Cannabinol	0,22	mg/g	A	SOP 16.02	± 30%
Sum of CBD	11	%	N	calculation	± 30%
Sum of CBG	0,44	%	N	calculation	± 30%
Sum of THC	0,49	%	N	calculation	± 30%

**Notice to sampling :** The sampling itself is not a subject of accreditation.

This Report can be reproduced only complete, its part only with the written permission of this testing laboratory.

Results are only for tested samples. The results relate only to the tested samples. In case the laboratory is not responsible for the sampling phase, the results refer to the sample as is received. If the sampling is not the subject of accreditation, the identification data (sample name, date and time of sampling) are stated in the protocol exclusively as provided by the customer and the laboratory is not responsible for them.

All methods are performed at the address of the Testing laboratory.

These expanded uncertainties of measurement are obtained by multiplying of standard uncertainty of measurement by extending coefficient  $k=2$  (for confidence level 95%). Uncertainty of sampling not included.

"<" - result is below the detection limit, ">" - result is higher than mentioned value

Methods in Kind column: "A" test in the scope of accreditation, "N" test out of the scope of accreditation

**Checked by :** Lisník Jiří, MSc.  
**Completed by :** Otisková Kristýna, Ing.  
**Number of pages :** 2  
**Date :** 27.10.2023

  
MSc. Barbora Sokolová, Ph.D.  
Head of Testing Laboratory



---

End of protocol